

# Correlation Study on Physicochemical Parameters of River Ganga during Different Seasons in Haridwar

Vani Sharma\* and Padma Singh

*Department of Microbiology, Kanya Gurukul Campus, Gurukul Kangri Vishwavidhyalaya, Haridwar- 249407*

*Email: vanisharma1988@gmail.com, drpadmasingh06@gmail.com*

**Abstract:** River Ganga was considered to be the holy river in India and Haridwar considered to be a holy city due to the presence of holy river Ganga. A study was conducted to check the water quality of river water by taken under consideration 8 physicochemical parameters i.e. pH, Temperature, Total Dissolved Solid (TDS), Conductivity, Turbidity, Biological Oxygen Demand (BOD), Dissolved Oxygen (DO) and 7 Heavy metals i.e. Arsenic, Mercury, Cadmium, Chromium, Copper, Nickel and Iron during different season (Summer, Monsoon and Winters) at 4 different sites (Bhimgodha, Prem- Nagar, Kankhal and Jwalapur) of city. The different parameters was compared with the standards provided by WHO, BIS, etc. It was observed that the physico- chemical parameters were mostly within the standard limits during the different seasons, but the load of heavy metals varies seasonally, the monsoon season faces more load, followed by summer and least in winter season. The deterioration of water quality during monsoon season is due to poor sanitation condition, soil erosion, turbulent flow and high anthropogenic activities.

**Keywords:** Ganga, Physicochemical parameters, Heavy metals, ICP-MS, APHA

## 1. INTRODUCTION:

Ganga is one of the river which fulfill the requirement of vast area in India, it arises from Garhwal Himalayas as a Bhagirathi and have a approximately a run of 2525 km and finally fall in Indian Ocean at Bay of Bengal (Yadav and Srivastava, 2011). Increased in population and industrialization, demand of freshwater increases which was fulfilled by the rivers which provide water for various human activities (Gupta *et al.*, 2017). Increased urbanization and industrialization the problem of river pollution is also mushrooming day by day and reaches to crisis and further deteriorate the water quality. The factors which basically deteriorate the water quality of river Ganga is disposal of dead bodies, Discharge of sewage and industrial waste, agriculture run off, disposal of various veneration items directly in river Ganga. For effective maintenance of water quality through

appropriate control measures, continuous monitoring of physico-chemical parameters are necessary (Bhandari and Nayal, 2008). DO and BOD are used to check the pollution level of aqueous system directly. Contaminated water may also contain the various heavy metals, it is a metals having a density of  $5\text{g/cm}^3$ , these metals are highly toxic to the environment and in turn to humans, they are associated with deadly disease of humans such as cancer, The organic forms of heavy metals have been reported to be very toxic and adversely affects water quality. It is not necessary that low pH values of water shows the presence of heavy metals such as Zn, Cd, As, etc, shows their presence at neutral pH (Sharma and Singh, 2015). Thus a regular analysis of water quality start fading off the appropriate measure can be taken to prevent these valuable rivers for our future generations.

Haridwar , which were Bhimgodha, Prem-Nagar, Kankhal and Jwalapur.

## 2. MATERIAL AND METHODS:

**2.1. Site Description:** Total 4 sites had been selected on the bank of river Ganga at




Fig 1: Map showing the sampling sites of Ganga river used in the study

**Bhimgodha-** (N 29°60' 25.9"/ E 78° 14'28.1"). It is at 500m from Har ki Pauri, it is a barrage on the Ganges river, it is a site of high tourist interest as this sites have many mythological sites, here the Ganga meets the waste of most of the hotels, dharamshala and residential sewage.

**Prem- Nagar-** (N 29°55'48.8"/E 78° 08'10.3"). It is the site where one of the oldest ashram is situated along with this include the basic residential area of Haridwar and hence contribute to anthropogenic and mythological wastes.

**Kankhal-** (N 29°63'92.6"/E 78°14'6.3"). Kankhal is a small colony in Haridwar, Kankhal is one of Panch tirth within Haridwar. It is a site where according to hindu religion ash of dead bodies made to dump in Ganga and various sewage opening dump direct sewage in river.

**Jwalapur-** (N 29°71'92.7"/E 78°10'8.0"). It is the site of Haridwar where a large number of sewage opening dump the human sewage directly in the river at Jatwara Bridge various human activities such as bathing, washing of clothes and disposal of industrial waste pollute Ganga River.

**2.2 Sampling-** Water sample were collected from the above mentioned sites in a clean sampling bottles around 10 am and carried to the laboratory in cold condition and were analyzed within 7 hours of collection.

**2.3. Physicochemical Parameters and Heavy Metals Analysis-** The physico- chemical parameters were determined by the standard method for the analysis of water APHA (2012). For heavy metal analysis the water samples were collected and are filtered with vaccum filter and then the water sample was analyzed for the presence of different heavy

metals by the ICP-MS technique (Malassa *et al.*, 2013).

**2.4. Statistical analysis-** Observed data was statistically analyzed by determining the correlation between the different parameters. Correlation is a bivariate analysis that measure the strength of association between two variables and the direction of the relationship, the value of the correlation varies between +1 and -1 and a value of  $\pm 1$  indicates a perfect association between the two variables. Pearson (r) correlation is the most widely used

correlation it is the correlation to determine the strength of relationship, correlation coefficient between 0.10 and 0.29 represent a small association, 0.30 and 0.49 represent a medium association, and the coefficient of 0.5 represent a large association between two variables (Bhandari and Nayal, 2008). Further data was statistically analyzed by using Analysis of Variance (ANOVA) to determine the seasonal and spatial variations of mean concentrations of different heavy metals in the Ganga water (Elbag, 2006).

**3. RESULTS AND DISCUSSION:**

The various physicochemical parameters which were considered during summers, winters and Monsoon are pH, Total Dissolved Solids, Turbidity, Conductivity, Free CO<sub>2</sub>, Biological Oxygen Demand, Dissolved Oxygen and the

heavy metals such as Arsenic(As), Mercury(Hg), Cadmium (Cd), Chromium (Cr), Copper (Cu), Nickel (Ni) and Iron (Fe). Each analysis was done in triplicates and the mean value was taken.

**Table 1: Standards for drinking water**

Characteristics	ICMR	WHO	CPCB	BIS-IS:10500-2012
pH (pH units)	7.0-8.5	7.0-8.5	Class A- 6.5-8.5 Class B- 6.5-8.5 Class C- 6.5-9.0	Class A-6.5-8.5 Class B- 6.5-8.5 Class C- 6.5-8.5 and Permissible – no relaxation
TDS (mgL <sup>-1</sup> )	500	500	-	ClassA-500 mgL <sup>-1</sup> ClassB-500 mgL <sup>-1</sup> ClassC-1500 mgL <sup>-1</sup> and permissible-2000 mgL <sup>-1</sup>
Temperature (°C)	-	-	-	-
Turbidity (NTU)	5	2.5	-	Desirable-05 NTU Permissible- 10NTU
BOD (mgL <sup>-1</sup> )	-	-	Class A- 2mgL <sup>-1</sup> Class B- 3mgL <sup>-1</sup> Class C- 3mgL <sup>-1</sup>	Class A- 2mgL <sup>-1</sup> Class B- 3mgL <sup>-1</sup> Class C- 3mgL <sup>-1</sup> and no relaxation (permissible)
DO (mgL <sup>-1</sup> )	-	-	Class A- 6mgL <sup>-1</sup> Class B- 5mgL <sup>-1</sup> Class C- 4mgL <sup>-1</sup>	Class A- 6mgL <sup>-1</sup> Class B- 5mgL <sup>-1</sup> Class C- 4mgL <sup>-1</sup> and No relaxation (permissible)
Free CO <sub>2</sub> (mg/ml)	-	10	-	10
Conductivity (µs/cm)	-	-	-	750
Chromium (mg/L)	-	0.05	-	0.003-no relaxation

		(permissible)
<b>Copper (mg/L)</b>	0.05	0.05-1.50
<b>Iron (mg/L)</b>	0.3	0.3- no relaxation (permissible)
<b>Mercury (mg/L)</b>	0.001	
<b>Cadmium (mg/L)</b>	0.02	0.03-no relaxation (permissible)
<b>Nickel (mg/L)</b>	0.02	
<b>Arsenic (mg/L)</b>	0.01	

**Table 2: Water Quality Data of river Ganga during different season at different sites (Average of triplicates ± SEM)**

Parameters	Units	Jwalapur	Prem- Nagar	Kankhal	Bhimgodha
<b>Winters</b>					
pH		8.351 ± 0.57	7.674 ± 0.33	9.289 ± 0.88	10.265 ± 0.57
Conductivity	µs/cm	215.66 ± 0.66	202 ± 1	645 ± 35.16	279.66 ± 1.45
Temperature	°C	10.76 ± 0.66	9.66 ± 0.33	10.46 ± 0.88	10.66 ± 1.20
TDS	ppm	75.33 ± 2.60	73 ± 4.35	96.33 ± 1.45	97.33 ± 0.66
Free CO <sub>2</sub>	mg/ml	16.09 ± 1.20	20.08 ± 1.15	32 ± 3.05	22.33 ± 1.45
DO	mg/L	10.26 ± 1.54	11.92 ± 0.88	11.2 ± 1.33	11.06 ± 0.33
BOD	mg/L	1.13 ± 0.33	3.2 ± 0.57	1.533 ± 0.57	1.16 ± 0.33
Turbidity	NTU	0.025 ± 0	0.024 ± 0	0.02 ± 0.33	0.009 ± 0
<b>Summers</b>					
pH		7.833 ± 0.38	7.73 ± 0.33	7.366 ± 1.15	7.29 ± 0.24
Conductivity	µs/cm	1002 ± 25.54	557 ± 20.79	1010 ± 2.88	847.3 ± 14.49
Temperature	°C	25 ± 1.93	20.3 ± 0.35	21.84 ± 1.35	28.33 ± 1.85
TDS	ppm	76 ± 3.21	70.56 ± 4.70	171.3 ± 70.6	97.66 ± 8.19
Free CO <sub>2</sub>	mg/ml	97.42 ± 0.66	119.33 ± 10.11	78.48 ± 4.16	25.23 ± 0.66
DO	mg/L	10.14 ± 1.15	8.8 ± 0.33	7.53 ± 1	8.5 ± 0
BOD	mg/L	4.48 ± 0	3.8 ± 0.33	1.73 ± 0.30	1.46 ± 0.33
Turbidity	NTU	0.18 ± 0	0.22 ± 0	0.28 ± 0	0.26 ± 0
<b>Monsoon</b>					
pH		8.088 ± 0.31	7.425 ± 0.82	7.811 ± 0.18	7.36 ± 0.57
Conductivity	µs/cm	1900 ± 17.32	983 ± 2.08	1085 ± 2.88	1050 ± 0.5
Temperature	°C	17.66 ± 1.45	19.86 ± 0.88	18.9 ± 0.66	18.4 ± 1.15
TDS	ppm	94 ± 3.05	90 ± 1.15	301 ± 15.60	267 ± 21.85
Free CO <sub>2</sub>	mg/ml	49.79 ± 1.85	28.08 ± 1.20	68 ± 1.15	25.23 ± 0.66
DO	mg/L	10 ± 1.15	10.62 ± 1.45	8.66 ± 0.66	8.5 ± 0
BOD	mg/L	0.933 ± 0.33	1.76 ± 0.33	0.6 ± 0.33	0.8 ± 0.23
Turbidity	NTU	0.30 ± 0	0.83 ± 0	1.73 ± 0.30	0.76 ± 0

TDS= Total Dissolved Solids, DO= Dissolved Oxygen, BOD= Bio-chemical Oxygen Demand,

**Table 3: Assessment of Heavy metals during different season and at different sites of Ganga River by ICP-MS**

Heavy Metals	Units	Jwalapur	Prem-Nagar	Kankhal	Bhimgodha
<b>Winters</b>					
Arsenic	mg/ml	<b>0.0249 ± 0.007</b>	0.00349 ± 0.005	<b>0.03296 ± 0.001</b>	<b>0.05172 ± 0.005</b>
Mercury	mg/ml	<b>0.0177 ± 0.01</b>	0.00045 ± 0.002	0.00128 ± 1	<b>0.0096 ± 0.8</b>
Cadmium	mg/ml	0.0000806 ± 0.001	0.0045 ± 0.1	0.000104 ± 0.5	0.0008 ± 0.18

Chromium	mg/ml	0.0109± 0.23	0.00396 ±05	<b>0.1899± 0.001</b>	0.02549 ± 0.8
Copper	mg/ml	0.0315± 0.006	0.0032 ±0.001	<b>0.3347± 0.08</b>	<b>0.21111 ± 0.007</b>
Nickel	mg/ml	0.00125 ± 0.01	0.00146 ± 0.003	0.00286 ± 0.06	0.00145± 0.006
Iron	mg/ml	<b>1.5725± 0.001</b>	<b>0.8531± 0.003</b>	<b>0.99635± 0.007</b>	<b>1.6522± 0.5</b>
<b>Summer</b>					
Arsenic	mg/ml	0.00428± 0.65	0.000362±0.11	0.00823± 1.4	0.0022± 0.01
Mercury	mg/ml	<b>0.0347 ± 0.02</b>	0.00036 ± 0.1	<b>0.0062± 0.5</b>	<b>0.0772± 0.003</b>
Cadmium	mg/ml	0.00017± 0.001	0.0002± 0.002	0.00017± 0.5	0.0023± 1
Chromium	mg/ml	0.0213± 0.05	0.03± 2	<b>0.0721± 1.2</b>	<b>0.0687± 0.9</b>
Copper	mg/ml	0.0078± 0.62	0.0024± 0.9	<b>0.1005± 0.01</b>	0.0205 ± 0.5
Nickel	mg/ml	0.0015± 0.3	<b>0.0667± 0.08</b>	0.0041± 0.01	0.0065± 0.5
Iron	mg/ml	<b>1.121± 0.01</b>	<b>1.203± 0.18</b>	<b>2.958± 0.2</b>	<b>1.582±0.03</b>
<b>Monsoon</b>					
Arsenic	mg/ml	<b>0.0344± 0.005</b>	<b>0.0245±0.01</b>	<b>0.066± 0.006</b>	<b>0.069± 0.01</b>
Mercury	mg/ml	<b>0.02007± 1.9</b>	<b>0.01399 ± 2.5</b>	0.00135± 1	<b>0.00815± 0.9</b>
Cadmium	mg/ml	<b>0.1485± 0.002</b>	0.0143± 1.1	0.00821± 0.007	0.0004± 1
Chromium	mg/ml	<b>0.3233± 0.02</b>	<b>1.349± 0.02</b>	<b>0.7083± 0.04</b>	<b>0.4373± 0.03</b>
Copper	mg/ml	<b>0.1478± 0.11</b>	<b>0.2006± 0.003</b>	<b>0.4007± 0.12</b>	<b>0.7816± 0.01</b>
Nickel	mg/ml	0.01922± 0.003	0.01525± 0.1	0.01609± 1	0.0088± 2.1
Iron	mg/ml	<b>1.304± 0.05</b>	<b>1.588± 0.9</b>	<b>2.278± 1.2</b>	<b>0.0088± 0.01</b>

**Table 4: Pearson correlation coefficient between physico-chemical properties of 4 sites during different seasons of river Ganga Haridwar, India.**

Parameters	Parameters	Pearson correlation (r)		
		Winters	Summers	Monsoon
pH	Conductivity	0.40622	0.629896	0.465787
	Temperature	0.71816	-0.3888	-0.75459
	TDS	0.91723	-0.6557	-0.56086
	Free CO <sub>2</sub>	0.42265	0.823481	0.232982
	DO	-0.33891	-0.64094	0.358354
	BOD	-0.77125	0.998706	-0.11803
	Turbidity	-0.86933	-0.93029	-0.46742
	Arsenic	-0.99980	-0.90645	-0.0775
	Mercury	-0.03399	-0.59359	0.94055
	Cadmium	-0.73271	-0.66591	0.927757
	Chromium	0.97501	-0.97206	-0.52583
	Copper	0.35961	-0.62782	-0.52646
	Nickel	0.48689	-0.97109	0.61158
Iron	-0.36545	-0.70957	-0.42413	
Conductivity	Temperature	0.190726	0.244793	-0.79331
	TDS	0.67771	-0.23004	0.455017
	Free CO <sub>2</sub>	0.952971	0.230484	0.741412
	DO	0.05712	-0.29341	-0.58395
	BOD	-0.24972	0.652076	-0.9161
	Turbidity	-0.11293	-0.7678	0.151312
	Arsenic	0.370459	-0.30063	0.750969
	Mercury	-0.43065	-0.15617	0.231137
	Cadmium	-0.43065	-0.27385	0.270892
	Chromium	0.555984	-0.44158	-0.84956
	Copper	0.992518	-0.31753	0.151575

	Nickel	0.995957	-0.428	0.073427
	Iron	0.085604	-0.2864	0.214899
Temperature	TDS	0.47384	-0.19713	-0.055
	Free CO <sub>2</sub>	0.00163	-0.84244	-0.25236
	DO	-0.89595	0.84551	0.31903
	BOD	-0.99628	-0.34185	-0.86587
	Turbidity	0.36918	0.024382	-0.28095
	Arsenic	0.71313	0.412204	0.411875
	Mercury	0.63703	0.914189	0.186872
	Cadmium	-0.95921	0.863829	0.178737
	Chromium	0.77561	0.461216	0.775619
	Copper		-0.21121	0.231078
	Nickel	0.26374	0.49056	-0.4158
	Iron	0.32256	-0.04633	0.004231
TDS	Free CO <sub>2</sub>	0.73727	-0.24856	0.333611
	DO	-0.04095	-0.13411	-0.95554
	BOD	-0.54795	-0.66834	-0.75587
	Turbidity	-0.80008	0.802594	0.46411
	Arsenic	0.90666	0.080258	0.685048
	Mercury	-0.37524	-0.15358	-0.68157
	Cadmium	-0.58684	-0.0796	-0.70317
	Chromium	0.92314	0.71733	-0.34627
	Copper	0.61363	0.99923	0.78389
	Nickel	0.73313	0.68995	-0.66763
	Iron	-0.44386	0.98795	0.898216
Free CO <sub>2</sub>	DO	0.31526	0.320894	-0.26686
	BOD	-0.07539	0.793683	-0.59325
	Turbidity	-0.26655	-0.55801	0.702993
	Arsenic	0.391912	-0.77335	0.914885
	Mercury	-0.67196	-0.91662	0.214142
	Cadmium	-0.25849	-0.93563	0.305911
	Chromium	0.519243	-0.84671	-0.2774
	Copper	0.91043	-0.22367	-0.27791
	Nickel	0.94718	-0.86753	0.46858
	Iron	-0.20389	-0.37194	0.411812
DO	BOD	0.855349	0.860401	0.860401
	Turbidity	-0.03076	-0.2179	-0.2179
	Arsenic	-0.33393	-0.98377	-0.60714
	Mercury	-0.90094	-0.60691	0.631397
	Cadmium	0.81473	-0.65081	0.614829
	Chromium	-0.41854	-0.98341	0.588577
	Copper	-0.02595	-0.67988	-0.85037
	Nickel	0.006065	-0.98616	0.672031
	Iron	-0.64154	-0.77539	-0.72916
BOD	Turbidity	0.427171	-0.9477	-0.19658
	Arsenic	-0.76528	-0.90443	-0.76737
	Mercury	-0.56825	-0.55356	0.165273
	Cadmium	0.969337	-0.6281	0.067774
	Chromium	-0.82704	-0.96771	0.827125
	Copper	-0.28199	-0.65612	-0.51701
	Nickel	-0.32436	-0.96428	0.309431
	Iron	-0.26503	-0.7304	-0.49109
Turbidity	Arsenic	-0.88548	0.82854	0.758251



	Mercury	0.278488	0.02738	-0.34518
	Cadmium	0.317501	0.36515	-0.24804
	Chromium	0.74531	-0.81314	0.35571
	Copper	0.118849	0.777489	-0.12997
	Nickel	-0.32436	0.860429	0.202405
	Iron	-0.26503	0.801964	0.768797
Arsenic	Mercury	-0.02743	0.575203	-0.16998
	Cadmium	-0.71585	0.468325	-0.65242
	Chromium	0.965464	0.97892	0.589926
	Copper	0.32012	0.779653	0.976252
	Nickel	0.45057	0.975028	0.079801
	Iron	-0.38776	0.869205	0.712687
Mercury	Cadmium	-0.48244	-0.39739	0.994685
	Chromium	0.009929	0.445379	-0.21
	Copper	-0.33593	0.947638	-0.32103
	Nickel	-0.39976	0.412927	0.816878
	Iron	0.69042	0.900517	-0.8013
Cadmium	Chromium	-0.83456	0.63558	-0.19409
	Copper	-0.49603	-0.11187	-0.80904
	Nickel	-0.518	0.66498	0.860552
	Iron	-0.36581	0.03597	-0.73888
Chromium	Copper	-0.18809	0.695622	-0.39548
	Nickel	-0.518	0.999179	0.223758
	Iron	-0.18907	0.790643	0.058801
Copper	Nickel	0.986078	0.667767	-0.97393
	Iron	0.206522	0.986075	0.534036
Nickel	Iron	0.062178	1.00000	-0.45806


**Table 5: Analysis of Variance (ANOVA) for seasonal and spatial variations in different heavy metals in Ganga river at Haridwar.**

Parameters	ANOVA Seasonal Variation P-value	ANOVA Spatial Variation P-value
Arsenic	0.017	0.441
Mercury	0.326	0.308
Cadmium	0.295	0.495
Chromium	0.015	0.784
Copper	0.063	0.366
Nickel	0.396	0.449
Iron	0.667	0.380

Values are statistically significant at  $P \leq 0.05$ .

The present study shows the considerable variation between different physico-chemical parameters during different seasons as compared with the (Singh *et al.*, 2012). This variation in pH value was observed due to annual variation in free CO<sub>2</sub> (Kumari *et al.*, 2013) and (Sharma *et al.*, 2008). The pH was toward acidic in summer was due to high Free CO<sub>2</sub>


standards provided by WHO, ICMR, CPCB and BIS in table1, From table 2, it was clear that the range of pH lies between 7.29 in summers to 10.265 in winters (Santosh *et al.*, 2008). pH shows positive relationship between Electrical Conductivity (0.406), Free CO<sub>2</sub> (0.422), TDS (0.917), Temperature (0.718) (Tripathi *et al.*, 2014).




**Fig2: pH variation for different season**

Total dissolved solid was in the range of 301-73 mgL<sup>-1</sup> which lies within the prescribed limit of 500 mgL<sup>-1</sup> by WHO, ICMR and BIS, similar results was obtained by (Yadav and Srivastava, 2011) and (Tripathi *et al.*, 2014). during study of river Ganga at Ghazipur. TDS shows positive correlation with Free CO<sub>2</sub> (0.737), pH (0.917), Conductivity (0.677), Temperature (0.473).

Turbidity values of different seasons falls in the range of 1.73 NTU- 0.009 NTU highest value was found to be at site kankhal. The high value of turbidity is in monsoon is due to turbulent flow which stirred silt and sand which was present at the bottom




**Fig3: Free CO<sub>2</sub> variation for different season**



**Fig 4: TDS parameters during different season**


stirred silt and sand which was present at the bottom of river, similar pattern was observed in other rivers during monsoon season (Narayan and Chauhan, 2000) and (Almeida *et al.*, 2012). It shows positive correlation with BOD (0.427) and Temperature (0.369).





**Fig 5: variation in turbidity values during different season**


Dissolved Oxygen of Ganga water is highest during winter  $11.92 \text{ mgL}^{-1}$  this was probably due to low temperature, low turbidity, which increase photosynthesis activity of the algae found on submerged stones (Joshi *et al.*, 2009). Lowest in summers  $7.53 \text{ mgL}^{-1}$ . DO have positive correlation with BOD (0.855), Free  $\text{CO}_2$  (0.315).



**Fig 6: DO Parameters during different season**

Electrical Conductivity of water depends upon the ions in water and also affected by the suspended impurities and thus Electrical Conductivity was maximum in monsoon and minimum in winter. It was positively correlated with Temperature (0.190), TDS (0.677) (Joshi *et al.*, 2009).

BOD value ranges from maximum  $4.48 \text{ mgL}^{-1}$  in summer to  $0.6 \text{ mgL}^{-1}$  in monsoon; this was due to higher rate of decomposition of organic matter (Kumari *et al.*, 2013). Water temperature plays an important role which influence both chemical and biological factors of water resources, temperature was found to be minimum  $9.66 \text{ }^\circ\text{C}$  in winter and maximum  $28.33 \text{ }^\circ\text{C}$  in summer.



**Fig 7: BOD Parameters during different seasons**




Fig 8: EC Parameters at during different seasons

The values of seven heavy metals in Ganga canal water at 4 different sites namely Bhimgodha, Premnagar, Kankhal and Jwalapur were presented in Table 3. Out of 3 seasons the maximum amount of heavy metals in monsoon season are above prescribed limit, this is due to high soil sediments comes in water in which metals are present along with festival season such as shivratri and many more which further increase load on city and further contribute to pollution, during monsoon season the range of different heavy metals varies as As (0.069-0.0245 mgL<sup>-1</sup>), Hg(0.01-0.008 mgL<sup>-1</sup>), Cd (0.0004-0.1485 mgL<sup>-1</sup>), Cr (0.32- 1.34 mgL<sup>-1</sup>), Cu (0.2006-0.7816 mgL<sup>-1</sup>), Ni (0.008- 0.0019 mgL<sup>-1</sup>), Fe (0.008-2.278 mgL<sup>-1</sup>).





Fig 9: Concentration of different heavy metals during monsoon at different sites

Monsoon season was followed by summers in which the different metals concentration was as follows, As (0.0003- 0.00823 mgL<sup>-1</sup>), Hg (0.0003- 0.0772 mgL<sup>-1</sup>), Cd (0.00017-0.0023 mgL<sup>-1</sup>), Cr (0.02-0.072 mgL<sup>-1</sup>), Cu (0.002- 0.1005 mgL<sup>-1</sup>), Ni (0.001- 0.066 mgL<sup>-1</sup>),


Fe (1.121-2.958 mgL<sup>-1</sup>) and least in winters As (0.05-0.003 mgL<sup>-1</sup>), Hg (0.0004- 0.017 mgL<sup>-1</sup>), Cd (0.00008- 0.0045 mgL<sup>-1</sup>), Cr (0.003- 0.189 mgL<sup>-1</sup>), Cu (0.0032- 0.33 mgL<sup>-1</sup>), Ni (0.0012- 0.0028 mgL<sup>-1</sup>), Fe (0.85- 1.65 mgL<sup>-1</sup>).



**Fig 10: Concentration of different heavy metals during summer at different sites**

The pattern which is obtained in the study of Heavy Metals in Ganga River was same as it was obtained in the study of (Singh *et al.*, 2012) and (Kar *et al.*, 2008). In terms of correlation Arsenic shows a

significant correlation with Chromium (0.96), Mercury with Iron (0.69) and Copper with Nickel (0.98).



**Fig 11: Concentration of different heavy metals during winters at different sites**

Seasonal variation was determined by analyzing seven metals, according to seasonal variation, computed P- values by ANOVA which were depicted in Table 5. Arsenic and Chromium was found to be significant as P-value were found to be statistically significant (Seth *et al.*, 2016). On the other hand according to the spatial variation among four sampling sites none of the parameters was found to be statistically significant (Kansal *et al.*, 2013).

**CONCLUSION:** The present study show detailed physicochemical characteristic of river Ganga in Haridwar at different sites during different seasons. The winters, summer and monsoon shows a considerable variation in physicochemical values and heavy metals like Arsenic, Mercury, Cadmium, Iron, etc. was found to be slightly above the permissible limit and hence degrade the quality of river water which is used for various purpose such as drinking

and bathing, the values of different parameters shows that there is a considerable need to increase the awareness about the importance of river for our society and to maintain the quality of river along with this number of programs should be activated to check the quality of river water time to time. So that our resources get preserved.

**ACKNOWLEDGEMENT:** We owe our sincere gratitude to Gurukul library for finding literature on our work; we also wish to acknowledge DST for providing the financial support by providing INSPIRES fellowship and IIT Roorkee for assessment of heavy metals by ICP-MS.

#### REFERENCES

- [1] Almedia, C., Gonzalez, S.O., Mallea, M., and Gonzalez, P. "A Recreational Water Quality Index using Chemical, Physical and Microbiological Parameters". *Environment Science Pollution Research*. 19(8): 3400-3411,2012.
- [2] APHA, American Public Health Association, American Water Works Association (AWWA) and Water Environment Federation (WEF). "Standards for Examination of Water and Waste water". 22<sup>nd</sup> Ed., American Public Health Association, Washington, DC, USA, 2012.
- [3] Bhandari, N.S., and Nayal, K. "Correlation Study on Physico-chemical Parameter and Quality Assessment of Kosi River Water, Uttarakhand". *E- journal of Chemistry*. 5(2): 342-346, 2008.
- [4] BIS, Bureau of Indian Standards." Specification for Drinking Water". IS: 10500, Bureau of Indian Standards New Delhi, 2012
- [5] CPCB (Central Pollution Control Board)." Water Quality Status of Yamuna River. Assessment and Development of River Basin". CPCB Report, 2000.
- [6] Elbag, M.A. "Impact of Surrounding Land Uses on Surface Water Quality". Worcester Polytechnic Institute, Massachusetts, Amherst, 2006.
- [7] Gupta, N., Pandey, P., and Hussain, J." Effect of Physico-chemical and Biological Parameters on the Quality of River Water of Narmada, Madhya Pradesh, India". *National Water Research Center*. 31: 11-23, 2017.
- [8] ICMR (Council of Medical Research)" Manual of Standards of quality for Drinking Water Supplies, Indian". Special Report No. 44., pp.27, 1975.
- [9] Joshi, D.M., Kumar, A., and Agrawal, N."Studies on Physicochemical Parameters to Assess the Water Quality of River Ganga for Drinking Purpose in Haridwar District". *Rasayan Journal Of Chemistry*. 2(1): 195-203, 2009.
- [10] Kansal, A., Siddique N.A., and Gautam, A." Assessment of Heavy Metals and their Interrelationships with some Physicochemical Parameters in Eco-efficient Rivers of Himalayan Region". *Environmental Monitoring and Assessment*. 185(3): 2553- 2563, 2013.
- [11] Kar, D., Sur, P., Mandal, S.K., Saha, T., and Kole, R.K.." Assessment of Heavy Metal Pollution in Surface Water. *International Journal of Environment Science and Technology*", 5(1): 119-124, 2008.
- [12] Kumari, M., Mudgal, L.K., and Singh, A.K.." Comparative Studies of Physico-chemical Parameters of Two Reservoirs of Narmada River, MP, India". *Current World Environment*. 8(3): 473-478, 2013.
- [13] Malassa, H., Qutob, M.A., Khatib, M.A., and Rimawi, F.A."Determination of Different Trace Heavy Metals in Ground Water of South West Bank/Palestine by ICP/MS". *Journal of Environment Protection*. 4: 818-827,2013.
- [14] Narayan, S., and Chauhan, R. "Water Quality Status of River Complex Yamuna at Panchnada(Distt. Etawah, U.P., India). I: An Integrated Management Approach". *Pollution Research*. 19(3): 357-364, 2000.
- [15] Santosh, M., Avvannavar, and Shrihari, S."Evaluation of Water Quality Index for Drinking Purposes for River Netravathi, Mangalore, South India". *Environment Monitoring Assessment*. 143: 279-290, 2008.
- [16] Seth, R., Mohan, M., Singh, P., Singh, R., Dobhal, R., Singh, K.P., and Gupta, S."Water Quality Evaluation of Himalayan Rivers of Kumaun Region, Uttarakhand, India". *Applied Water Science*. 6(2): 132-147, 2016.
- [17] Sharma, S., Dixit, S., and Jain, P. "Statistical Evaluation of Hydrobiological Parameters of Narmada River Water at Hoshangabad City, India". *Environment Monitoring Assessment*. 143: 195- 202, 2008.
- [18] Sharma, V., and Singh, P."Heavy Metals Pollution and its Effect on Environment and Human Health". *International Journal of Recent Scientific Research*. 6(12): 7752-7755, 2015.

- [19] Singh, L., Choudhary S.K., and Singh P.K. "Status of Heavy Metal Concentration in Water and Sediment of River Ganga at Selected Sites in the Middle Ganga plain". *International Journal of Research in Chemistry and Environment*. 2(4): 236-243, 2012.
- [20] Tripathi, B., Pandey, R., Raghuvanshi, D., Singh, H., Panday, V., and Shukla, D.N. "Studies on the Physico-chemical Parameters and Correlation Coefficient of the River Ganga at Holy Place Shringverpur, Allahabad". *IOSR Journal of Environmental Science, Toxicology and Food Technology*. 8(10): 29-36, 2014.
- [21] Yadav, R.C., and Srivastava, V.C. "Physico-chemical Properties of the Water of River Ganga at Ghazipur". *Indian Journal of Scientific Research*. 2(4): 41-44, 2011.