# A New Application of Shehu Transform for Handling Volterra Integral Equations of First Kind

Sudhanshu Aggarwal<sup>1\*</sup>, Anjana Rani Gupta<sup>2</sup>, Swarg Deep Sharma<sup>3</sup>

<sup>1\*</sup>Assistant Professor, Department of Mathematics, National P.G. College Barhalganj, Gorakhpur-273402, U.P., India <sup>2</sup>Professor, Department of Mathematics, Noida Institute of Engineering & Technology, Greater noida-201306, U.P., India <sup>3</sup>Assistant Professor, Department of Mathematics, Nand Lal Singh College Jaitpur Daudpur Constituent of Jai Prakash

University Chhapra-841205, Bihar, India

sudhanshu30187@gmail.com, argad76@gmail.com, gdeep.sharma@gmail.com

**Abstract:** Many problems of thermodynamics, nuclear reactor theory, chemotherapy and electrical systems have been described in the form of Volterra integral equations. In this paper, we have given a new application of Shehu transform for handling Volterra integral equations of first kind. In application section of this paper, some numerical applications are given to explain the importance of Shehu transform for handling Volterra integral equations of first kind. The results show that Shehu transform is a very useful integral transform for handling Volterra integral equations of first kind.

Keywords: Volterra integral equation of first kind, Shehu transform, Convolution theorem, Inverse Shehu transform.

## 1. INTRODUCTION

In the advance time, integral transforms methods (Laplace transform [1-2], Fourier transform [1], Kamal transform [3-9, 36], Mahgoub transform [10-16], Mohand transform [17-20, 37-40], Aboodh transform [21-26, 41-44], Elzaki transform [27-29, 45-46], Sumudu transform [30, 47-48] and Shehu transform [49-50]) are convenient mathematical methods for solving advance problems of engineering and sciences which are mathematically expressed in terms of differential equations, system of differential equations, system of integral equations, negral equations, system of integral equations. Recently the comparative study of Mohand and other integral transforms was discussed by Aggarwal et al. [31-35].

Shehu transform of the function  $F(t), t \ge 0$  is given by [49]:

$$S\{F(t)\} = \int_0^\infty F(t)e^{-\frac{vt}{u}}dt = H(v,u), v > 0, u > 0,$$

where operator S is called the Shehu transform operator. The Shehu transform of the function F(t) for  $t \ge 0$  exist if F(t) is piecewise continuous and of exponential order. These mention two conditions are the only sufficient conditions for the existence of Shehu transform of the function F(t).

The Volterra integral equation of first kind is given by [7, 14, 24, 27]

where the unknown function g(x), that will be determined, occurs only inside the integral sign. The

kernel k(x, t) of integral equation (1) and the function f(x) are known real-valued functions.

The aim of this work is to find out exact solutions of Volterra integral equation of first kind using the new and advance integral transform "Shehu transform" without large computational work.

## 2. LINEARITY PROPERTY OF SHEHU TRANSFORMS [49-50]

If  $S{F(t)} = H_1(v, u)$  and  $S{G(t)} = H_2(v, u)$  then  $S{aF(t) + bG(t)} = aS{F(t)} + bS{G(t)}$   $\Rightarrow S{aF(t) + bG(t)} = a H_1(v, u) + bH_2(v, u)$ , where a, b are arbitrary constants.

S.N.	F(t)	$S\{F(t)\} = H(v, u)$	
1.	1	$\frac{u}{v}$	
2.	t	$\left(\frac{u}{v}\right)^2$	
3.	$t^2$	$2! \left(\frac{u}{v}\right)^3$	
4.	$t^n, n \in N$	$n! \left(\frac{u}{v}\right)^{n+1}$	
5.	$t^{n}, n > -1$	$\Gamma(n+1)\left(\frac{u}{v}\right)^{n+1}$	
6.	e <sup>at</sup>	$\frac{u}{v-au}$	

3.	SHEHU	TRANSFORM	OF	SOME
	ELEMENT	<b>CARY FUNCTIONS</b>	[49-50]	

have

7.	sinat	$\frac{au^2}{(v^2+a^2u^2)}$
8.	cosat	$\frac{uv}{(v^2 + a^2u^2)}$
9.	sinhat	$\frac{au^2}{(v^2-a^2u^2)}$
10.	coshat	$\frac{uv}{(v^2-a^2u^2)}$
11	$J_0(at)$	$\frac{u}{\sqrt{(v^2 + a^2 u^2)}}$

# 4. SHEHU TRANSFORM OF THE DERIVATIVES OF THE FUNCTION F(t) [49-50]:

If  $S{F(t)} = H(v, u)$  then

a) 
$$S{F'(t)} = \frac{v}{u}H(v,u) - F(0)$$

b) 
$$S{F''(t)} = \frac{v^2}{u^2}H(v,u) - \frac{v}{u}F(0) - F'(0)$$

c) 
$$S\{F^{(n)}(t)\} = \frac{v^n}{u^n}H(v,u) - \sum_{k=0}^{n-1} \left(\frac{v}{u}\right)^{n-(k+1)}F^{(k)}(0).$$

# 5. SHEHU TRANSFORM OF BESSEL FUNCTION OF ORDER ONE

Bessel function of order one is denoted by  $I_1(t)$  and it is given by the following relation

 $\frac{d}{dt}J_0(t) = -J_1(t)\dots\dots\dots\dots\dots\dots\dots\dots\dots\dots(2)$ 

where  $J_0(t)$  is the Bessel function of order zero. Operating Shehu transform on both sides of (2), we get

$$S\left\{\frac{d}{dt}J_0(t)\right\} = -S\{J_1(t)\}\dots\dots\dots(3)$$

Applying the property, Shehu transform of derivative of function, in (3), we have

$$\Rightarrow \frac{v}{u} S\{J_0(t)\} - J_0(0) = -S\{J_1(t)\}$$

$$\Rightarrow S\{J_1(t)\} = 1 - \frac{v}{u} S\{J_0(t)\}$$

$$\Rightarrow S\{J_1(t)\} = 1 - \frac{v}{u} \left[\frac{u}{\sqrt{(v^2 + u^2)}}\right]$$

$$\Rightarrow S\{J_1(t)\} = 1 - \frac{v}{\sqrt{(v^2 + u^2)}}$$

# 6. CONVOLUTION PROPERTY OF SHEHU TRANSFORMS

If Shehu transform of functions  $F_1(t)$  and  $F_2(t)$  are  $H_1(v, u)$  and  $H_2(v, u)$  respectively then Shehu transform of their convolution  $F_1(t) * F_2(t)$  is given by  $S\{F_1(t) * F_2(t)\} = S\{F_1(t)\}S\{F_2(t)\}$  $\Rightarrow S\{F_{1}(t) * F_{2}(t)\} = H_{1}(v, u)H_{2}(v, u),$ where  $F_1(t) * F_2(t)$  is defined by

 $F_1(t) * F_2(t) = \int_0^t F_1(t-x) F_2(x) dx$ =  $\int_0^t F_1(x) F_2(t-x) dx.$ **Proof:** By the definition of Shehu transform, we have  $S{F_{1}(t) * F_{2}(t)} = \int_{0}^{\infty} e^{-\frac{vt}{u}} [F_{1}(t) * F_{2}(t)] dt$ 

$$S\{F_1(t) * F_2(t)\} = \int_0^\infty e^{-\frac{vt}{u}} \left[ \int_0^t F_1(t-x) F_2(x) dx \right] dt$$
  

$$\Rightarrow S\{F_1(t) * F_2(t)\}$$
  
By changing the order of integration, we have

By changing the order of

By changing the order of integration, we have  $S\{F_1(t) * F_2(t)\} = \int_0^\infty F_2(x) \left[ \int_x^\infty e^{-\frac{vt}{u}} F_1(t-x) dt \right] dx$ Put t - x = p so that dt = dp in above equation, we

$$S\{F_{1}(t) * F_{2}(t)\} = \int_{0}^{\infty} F_{2}(x) \left[ \int_{0}^{\infty} e^{-\frac{v(p+x)}{u}} F_{1}(p) dp \right] dx$$
  

$$\Rightarrow S\{F_{1}(t) * F_{2}(t)\}$$
  

$$= \int_{0}^{\infty} F_{2}(x) e^{-\frac{xv}{u}} \left[ \int_{0}^{\infty} e^{-\frac{pv}{u}} F_{1}(p) dp \right] dx$$
  

$$\Rightarrow S\{F_{1}(t) * F_{2}(t)\} = H_{1}(v, u) H_{2}(v, u).$$

# 7. INVERSE SHEHU TRANSFORM

If  $S{F(t)} = H(v, u)$  then F(t) is called the inverse Shehu transform of H(v, u) and mathematically, it is defined as  $F(t) = S^{-1}{H(v, u)}$ , where the operator  $S^{-1}$ is called the inverse Shehu transform operator.

#### LINEARITY PROPERTY OF INVERSE SHEHU 8. **TRANSFORMS** [50]

If  $S^{-1}{H_1(v, u)} = F(t)$  and  $S^{-1}{H_2(v, u)} = G(t)$ then

 $S^{-1}{a H_1(v, u) + b H_2(v, u)}$  $= aS^{-1}\{H_1(v,u)\} + bS^{-1}\{H_2(v,u)\}$  $\Rightarrow S^{-1}\{a H_1(v, u) + b H_2(v, u)\} = aF(t) + bG(t),$ where *a*, *b* are arbitrary constants.

S.N.	H(v,u)	$F(t) = S^{-1}{H(v, u)}$
1.	$\frac{u}{v}$	1
2.	$\left(\frac{u}{v}\right)^2$	t
3.	$\left(\frac{u}{v}\right)^3$	$\frac{t^2}{2!}$
4.	$\left(\frac{u}{v}\right)^{n+1}$ , $n \in N$	$\frac{t^n}{n!}$
5.	$\left(\frac{u}{v}\right)^{n+1}$ , $n > -1$	$\frac{t^n}{\Gamma(n+1)}$
6.	$\frac{u}{v-au}$	e <sup>at</sup>

#### 9 **INVERSE SHEHU TRANSFORM OF SOME** FI EMENTARY FUNCTIONS [50]

we have

Avail	lable	online	at	www.ijrat.

7.	$\frac{u^2}{(v^2+a^2u^2)}$	sinat a
8.	$\frac{uv}{(v^2+a^2u^2)}$	cosat
9.	$\frac{u^2}{(v^2-a^2u^2)}$	sinhat a
10.	$\frac{uv}{(v^2-a^2u^2)}$	coshat
11.	$\frac{u}{\sqrt{(v^2 + a^2 u^2)}}$	$J_0(at)$

# 10. SHEHU TRANSFORMS FOR HANDLING VOLTERRA INTEGRAL EQUATIONS OF FIRST KIND

In this paper, we will consider that the kernel k(x, t) of integral equation (1) is a convolution type kernel that can be expressed by the difference (x - t) so (1) can be expressed as

Applying the Shehu transform to both sides of (4), we have

$$S\{f(x)\} = S\{\int_0^x k(x-t)g(t)dt\}\dots\dots\dots\dots$$
(5)

Using convolution theorem of Shehu transform, we have  $S{f(x)} = S{k(x)}S{g(x)}$ 

Operating inverse Shehu transform on both sides of (6), we have

which is the required solution of (4).

### **11. APPLICATIONS**

In this section, some numerical applications are given in order to demonstrate the importance of Shehu transform for handling Volterra integral equations of first kind.

Application: 1 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (8), we have

$$S\{x\} = S\left\{\int_{0}^{x} e^{(x-t)} g(t)dt\right\} \dots \dots \dots \dots \dots \dots \dots (9)$$

Using convolution theorem of Shehu transform on (9), we have

$$\left(\frac{u}{v}\right)^2 = S\{e^x\}S\{g(x)\}$$

Operating inverse Shehu transform on both sides of (10), we have

which is the required exact solution of (8).

Application: 2 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (12), we have

$$\frac{u^{2}}{(v^{2} + u^{2})} = S\{e^{x}\}S\{g(x)\}$$
  

$$\Rightarrow \frac{u^{2}}{(v^{2} + u^{2})} = \left[\frac{u}{v - u}\right]S\{g(x)\}$$
  

$$\Rightarrow S\{g(x)\} = \frac{u(v - u)}{(v^{2} + u^{2})}$$
  

$$= \frac{uv}{(v^{2} + u^{2})} - \frac{u^{2}}{(v^{2} + u^{2})} \dots (14)$$

Operating inverse Shehu transform on both sides of (14), we have

$$g(x) = S^{-1}\left\{\frac{uv}{(v^2 + u^2)}\right\} - S^{-1}\left\{\frac{u^2}{(v^2 + u^2)}\right\}$$

Application: 3 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (16), we have

Using convolution theorem of Shehu transform on (17), we have  $u^2$ 

Operating inverse Shehu transform on both sides of (18), we have

which is the required exact solution of (16).

Application: 4 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (20), we have

Using convolution theorem of Shehu transform on(21), we have

Operating inverse Shehu transform on both sides of (22), we have

which is the required exact solution of (20).

Application: 5 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (24), we have

Using convolution theorem of Shehu transform on (25), we have

Operating inverse Shehu transform on both sides of (26), we have

which is the required exact solution of (24). *Application:* 6 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (28), we have

Using convolution theorem of Shehu transform on (29), we have

Operating inverse Shehu transform on both sides of (30), we have

Application: 7 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (32), we have

Using convolution theorem of Shehu transform on (33), we have

Operating inverse Shehu transform on both sides of (34), we have

which is the required exact solution of (32).

Application: 8 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (36), we have

Using convolution theorem of Shehu transform on (37), we have

$$\binom{u}{v} - \frac{u}{\sqrt{(v^2 + u^2)}} = S\{1\}S\{g(x)\}$$

Operating inverse Shehu transform on both sides of (38), we have

$$g(x) = S^{-1} \left\{ 1 - \frac{v}{\sqrt{(v^2 + u^2)}} \right\} = J_1(x) \dots \dots \dots \dots (39)$$

which is the required exact solution of (36).

Application: 9 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (40), we have

$$S\{J_0(x)\} - S\{cosx\} = S\left\{\int_0^x J_0(x-t)g(t) dt\right\}..(41)$$

Using convolution theorem of Shehu transform on(41), we have

Operating inverse Shehu transform on both sides of (42), we have

$$g(x) = S^{-1} \left\{ 1 - \frac{v}{\sqrt{(v^2 + u^2)}} \right\} = J_1(x) \dots \dots \dots \dots (43)$$

which is the required exact solution of (40).

Application: 10 Consider Volterra integral equation of first kind

Applying the Shehu transform to both sides of (44), we have

 $S\{cosx\} - S\{J_0(x)\} = -S \int_0^x J_1(x-t)g(t) dt \dots (45)$ Using convolution theorem of Shehu transform on (45), we have

Operating inverse Shehu transform on both sides of (46), we have

which is the required exact solution of (44).

# 12. CONCLUSION

In this paper, we have successfully discussed the new application of Shehu transform for handling Volterra integral equations of first kind. The given numerical applications show that the exact solution of Volterra integral equations of first kind obtained in very less computational work and spending a very little time using Shehu transform. In future, Shehu transform can be applied for solving other Volterra integral equations and their systems.

# REFERENCES

- [1] Lokenath Debnath and Bhatta, D., Integral transforms and their applications, Second edition, Chapman & Hall/CRC, 2006.
- [2] Aggarwal, S., Gupta, A.R., Singh, D.P., Asthana, N. and Kumar, N., Application of Laplace transform for solving population growth and decay problems, International Journal of Latest Technology in Engineering, Management & Applied Science, 7(9), 141-145, 2018.
- [3] Aggarwal, S. and Gupta, A.R., Solution of linear Volterra integro-differential equations of second kind using Kamal transform, Journal of Emerging Technologies and Innovative Research, 6(1), 741-747, 2019.
- [4] Aggarwal, S. and Sharma, S.D., Application of Kamal transform for solving Abel's integral equation, Global Journal of Engineering Science and Researches, 6(3), 82-90, 2019.
- [5] Aggarwal, S., Chauhan, R. and Sharma, N., A new application of Kamal transform for solving linear Volterra integral equations, International Journal of Latest Technology in Engineering, Management & Applied Science, 7(4), 138-140, 2018.
- [6] Gupta, A.R., Aggarwal, S. and Agrawal, D., Solution of linear partial integro-differential equations using Kamal transform, International Journal of Latest Technology in Engineering, Management & Applied Science, 7(7), 88-91, 2018.
- [7] Aggarwal, S., Sharma, N. and Chauhan, R., Application of Kamal transform for solving linear Volterra integral equations of first kind,

International Journal of Research in Advent Technology, 6(8), 2081-2088, 2018.

- [8] Aggarwal, S., Gupta, A.R., Asthana, N. and Singh, D.P., Application of Kamal transform for solving population growth and decay problems, Global Journal of Engineering Science and Researches, 5(9), 254-260, 2018.
- [9] Aggarwal, S., Kamal transform of Bessel's functions, International Journal of Research and Innovation in Applied Science, 3(7), 1-4, 2018.
- [10] Chauhan, R. and Aggarwal, S., Solution of linear partial integro-differential equations using Mahgoub transform, Periodic Research, 7(1), 28-31, 2018.
- [11] Aggarwal, S., Sharma, N., Chauhan, R., Gupta, A.R. and Khandelwal, A., A new application of Mahgoub transform for solving linear ordinary differential equations with variable coefficients, Journal of Computer and Mathematical Sciences, 9(6), 520-525, 2018.
- [12] Aggarwal, S., Chauhan, R. and Sharma, N., A new application of Mahgoub transform for solving linear Volterra integral equations, Asian Resonance, 7(2), 46-48, 2018.
- [13] Aggarwal, S., Sharma, N. and Chauhan, R., Solution of linear Volterra integro-differential equations of second kind using Mahgoub transform, International Journal of Latest Technology in Engineering, Management & Applied Science, 7(5), 173-176, 2018.
- [14] Aggarwal, S., Sharma, N. and Chauhan, R., Application of Mahgoub transform for solving linear Volterra integral equations of first kind, Global Journal of Engineering Science and Researches, 5(9), 154-161, 2018.
- [15] Aggarwal, S., Pandey, M., Asthana, N., Singh, D.P. and Kumar, A., Application of Mahgoub transform for solving population growth and decay problems, Journal of Computer and Mathematical Sciences, 9(10), 1490-1496, 2018.
- [16] Aggarwal, S., Sharma, N. and Chauhan, R., Mahgoub transform of Bessel's functions, International Journal of Latest Technology in Engineering, Management & Applied Science, 7(8), 32-36, 2018.
- [17] Aggarwal, S., Sharma, N. and Chauhan, R., Solution of population growth and decay problems by using Mohand transform, International Journal of

Research in Advent Technology, 6(11), 3277-3282, 2018.

- [18] Aggarwal, S., Sharma, N. and Chauhan, R., Solution of linear Volterra integral equations of second kind using Mohand transform, International Journal of Research in Advent Technology, 6(11), 3098-3102, 2018.
- [19] Aggarwal, S., Chauhan, R. and Sharma, N., Mohand transform of Bessel's functions, International Journal of Research in Advent Technology, 6(11), 3034-3038, 2018.
- [20] Aggarwal, S., Sharma, S.D. and Gupta, A.R., A new application of Mohand transform for handling Abel's integral equation, Journal of Emerging Technologies and Innovative Research, 6(3), 600-608, 2019.
- [21] Aggarwal, S., Sharma, N. and Chauhan, R., Application of Aboodh transform for solving linear Volterra integro-differential equations of second kind, International Journal of Research in Advent Technology, 6(6), 1186-1190, 2018.
- [22] Aggarwal, S., Sharma, N. and Chauhan, R., A new application of Aboodh transform for solving linear Volterra integral equations, Asian Resonance, 7(3), 156-158, 2018.
- [23] Aggarwal, S., Asthana, N. and Singh, D.P., Solution of population growth and decay problems by using Aboodh transform method, International Journal of Research in Advent Technology, 6(10), 2706-1190, 2710.
- [24] Aggarwal, S., Sharma, N. and Chauhan, R., Application of Aboodh transform for solving linear Volterra integral equations of first kind, International Journal of Research in Advent Technology, 6(12), 3745-3753, 2018.
- [25] Aggarwal, S. and Sharma, S.D., Solution of Abel's integral equation by Aboodh transform method, Journal of Emerging Technologies and Innovative Research, 6(4), 317-325, 2019.
- [26] Aggarwal, S., Gupta, A.R. and Agrawal, D., Aboodh transform of Bessel's functions, Journal of Advanced Research in Applied Mathematics and Statistics, 3(3), 1-5, 2018.

- [27] Aggarwal, S., Chauhan, R. and Sharma, N., Application of Elzaki transform for solving linear Volterra integral equations of first kind, International Journal of Research in Advent Technology, 6(12), 3687-3692, 2018.
- [28] Aggarwal, S., Singh, D.P., Asthana, N. and Gupta, A.R., Application of Elzaki transform for solving population growth and decay problems, Journal of Emerging Technologies and Innovative Research, 5(9), 281-284, 2018.
- [29] Aggarwal, S., Elzaki transform of Bessel's functions, Global Journal of Engineering Science and Researches, 5(8), 45-51, 2018.
- [30] Aggarwal, S. and Gupta, A.R., Sumudu transform for the solution of Abel's integral equation, Journal of Emerging Technologies and Innovative Research, 6(4), 423-431, 2019.
- [31] Aggarwal, S. and Chaudhary, R., A comparative study of Mohand and Laplace transforms, Journal of Emerging Technologies and Innovative Research, 6(2), 230-240, 2019.
- [32] Aggarwal, S., Sharma, N., Chaudhary, R. and Gupta, A.R., A comparative study of Mohand and Kamal transforms, Global Journal of Engineering Science and Researches, 6(2), 113-123, 2019.
- [33] Aggarwal, S., Mishra, R. and Chaudhary, A., A comparative study of Mohand and Elzaki transforms, Global Journal of Engineering Science and Researches, 6(2), 203-213, 2019.
- [34] Aggarwal, S. and Chauhan, R., A comparative study of Mohand and Aboodh transforms, International Journal of Research in Advent Technology, 7(1), 520-529, 2019.
- [35] Aggarwal, S. and Sharma, S.D., A comparative study of Mohand and Sumudu transforms, Journal of Emerging Technologies and Innovative Research, 6(3), 145-153, 2019.
- [36] Abdelilah, K. and Hassan, S., The use of Kamal transform for solving partial differential equations, Advances in Theoretical and Applied Mathematics, 12(1), 7-13, 2017.
- [37] Kumar, P.S., Saranya, C., Gnanavel, M.G. and Viswanathan, A., Applications of Mohand transform for solving linear Volterra integral equations of first kind, International Journal of Research in Advent Technology, 6(10), 2786-2789, 2018.

- [38] Kumar, P.S., Gomathi, P., Gowri, S. and Viswanathan, A., Applications of Mohand transform to mechanics and electrical circuit problems, International Journal of Research in Advent Technology, 6(10), 2838-2840, 2018.
- [39] Sathya, S. and Rajeswari, I., Applications of Mohand transform for solving linear partial integrodifferential equations, International Journal of Research in Advent Technology, 6(10), 2841-2843, 2018.
- [40] Kumar, P.S., Gnanavel, M.G. and Viswanathan, A., Application of Mohand transform for solving linear Volterra integro-differential equations, International Journal of Research in Advent Technology, 6(10), 2554-2556, 2018.
- [41] Aboodh, K.S., Application of new transform "Aboodh Transform" to partial differential equations, Global Journal of Pure and Applied Mathematics, 10(2), 249-254, 2014.
- [42] Aboodh, K.S., Farah, R.A., Almardy, I.A. and Osman, A.K., Solving delay differential equations by Aboodh transformation method, International Journal of Applied Mathematics & Statistical Sciences, 7(2), 55-64, 2018.
- [43] Aboodh, K.S., Farah, R.A., Almardy, I.A. and Almostafa, F.A., Solution of partial integrodifferential equations by using Aboodh and double Aboodh transforms methods, Global Journal of Pure and Applied Mathematics, 13(8), 4347-4360, 2016.
- [44] Mohand, D., Aboodh, K.S. and Abdelbagy, A., On the solution of ordinary differential equation with variable coefficients using Aboodh transform, Advances in Theoretical and Applied Mathematics, 11(4), 383-389, 2016.
- [45] Elzaki, T.M. and Ezaki, S.M., On the Elzaki transform and ordinary differential equation with variable coefficients, Advances in Theoretical and Applied Mathematics, 6(1), 41-46, 2011.
- [46] Elzaki, T.M. and Ezaki, S.M., Applications of new transform "Elzaki transform" to partial differential equations, Global Journal of Pure and Applied Mathematics, 7(1), 65-70, 2011.
- [47] Watugula, G.K., Sumudu transform: A new integral transform to solve differential equations and control engineering problems, International Journal of Mathematical Education in Science and Technology, 24(1), 35-43, 1993.

- [48] Belgacem, F.B.M. and Karaballi, A.A., Sumudu transform fundamental properties investigations and applications, Journal of Applied Mathematics and Stochastic Analysis, 1-23, 2006.
- [49] Maitama, S. and Zhao, W., New integral transform: Shehu transform a generalization of Sumudu and Laplace transform for solving differential equations, International Journal of Analysis and Applications, 17(2), 167-190, 2019.
- [50] Aggarwal, S., Sharma, S.D. and Gupta, A.R., Application of Shehu transform for handling growth and decay problems, Global Journal of Engineering Science and Researches, 6(4), 190-198, 2019.